



中国认可
国际互认
检测
TESTING
CNAS L4157

Test Report

Sample Name: Jolly Pawps Duck sliced Jerky

Applicant: PUPSCRIBE ENTERPRISES PRIVATE LIMITED

Testing Purpose: Entrust Testing

Centre Testing International (Qingdao) Co., Ltd.

www.cti-cert.com



Verification code: 0ABG

Test Report

Report No.: A2260389584101005b

Page 1 of 4

Applicant: PUPSCRIBE ENTERPRISES PRIVATE LIMITED

Address: 702,KAMLA AVENUE,HOLY CROSS, ROAD,BORIVALI W,MUMBAI,INDIA-400103.

Sample Information:

Sample Name : Jolly Pawps Duck sliced Jerky
CTI Sample No. : FFS15621005
Sample Quantity : 5bags
Sample Status : Intact
Specification : 85g/bag
Sample Received Date : 2026/05/18
Sample Tested Date : 2026/05/18 ~ 2026/05/26

Test Item(s): Cadmium, Mercury, Lead, Total Arsenic, Moulds and yeasts count etc. 8 items

Test Result(s): Please refer to the following page(s)

Compiled by:

Reviewed by:

Approved by:

Date:

2026/06/05

Technical director
Centre Testing International (Qingdao) Co., Ltd. Room 107-5, 1st Floor, Building B ,Yuanjia Life Science and
Technology Industrial Park, No. 603, Jiushui East Road, Laoshan District, Qingdao, Shandong, China.
Test address: Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road,
Gaoxin District, Qingdao, Shandong, China.

Test Report

Report No.: A2260389584101005b Page 2 of 4

Test Result(s):

No.	Test Item	Unit	Test Result	Test Method
1	Cadmium	mg/kg	Not detected(< 0.05)	GB/T 13082-2021 8.3.2
2	Mercury	mg/kg	Not detected(< 0.003)	GB/T 13081-2022 4
3	Lead	mg/kg	Not detected(< 0.1)	GB/T 13080-2018 7.2
4	Total Arsenic	mg/kg	Not detected(< 0.05)	GB/T 13079-2022 6
5	Moulds and yeasts count*1	CFU/g	< 10	GB 4789.15-2016 The first method
6	Salmonella	/25g	Not detected	GB/T 13091-2018
7	Total Bacterial Count	CFU/g	< 10	GB/T 13093-2023
8	Enterobacteriaceae*1	CFU/g	1#: < 10 2#: < 10 3#: < 10 4#: < 10 5#: < 10	GB/T 40850-2021 8
Blank				

Note(s): 1. *1 indicates the item(s)/ the method(s) is (are) not in CNAS accreditation scope.
2. This report modifies and replaces the original report (Report NO. : A2260389584101005) with the following modifications : The test items 1-8 were separate reports to be issued. The original report shall become invalid from the date of this report issued.

Test Report

Report No.:

A2260389584101005b

Page 3 of 4

Photo(s) of the sample(s)



Centre Testing International (Qingdao) Co., Ltd. Room 107-5, 1st Floor, Building B ,Yuanjia Life Science and Technology Industrial Park, No. 603, Jiushui East Road, Laoshan District, Qingdao, Shandong, China.
Test address: Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road, Gaoxin District, Qingdao, Shandong, China.

Test Report

Report No.: A2260389584101005b

Page 4 of 4

Statement:

1. This report is considered invalidated in one or more of the following conditions: no approval signature; no testing seal of CTI; no cross-page seal; altered; a copy without the red testing seal of CTI.
2. Without written approval of CTI, this report shall not be reproduced partly.
3. The sample Information is provided by the customer, and the results shown in this test report refer only to the sample(s) tested.
4. Unauthorized use of the test results for improper publicity is impermissible.
5. Objection to the test results should be raised within 5 working days from the date of receiving the report, otherwise it will not be accepted.
6. Scan the QR code on the first page of the report, or input the report number and verification code on this official website: <https://mycti.cti-cert.com>, to verify the authenticity of the report. For any question, please contact by e-mail: fdd.checkreport@cti-cert.com.
7. All/part of the test items in this report are not in the scope of qualification confirmation accreditation, and should be only used for scientific research, teaching, internal quality control and product development of enterprise.

*** End of report ***